



## Table stand Table 400, 1120x760 mm

Item number 302221

### Product information

Type of table stand	Electric
Table stand dimension (mm)	1120 x 760
Lifting speed (mm/sec)	13
Working height excl. table top (mm)	685 - 1085
Max load (kg)	400
Table stand color	Aluminum
Table stand material	Aluminum
Table stand dimension (mm)	100x282

## Description

Table stand for the electrically adjustable Work Table 400, for 24mm table tops with size 1200 x 800 mm. The maximum capacity refers to distributed load. The lifting speed applies without load and the working height is without table top. Control box and standard handcontrol TH14 is included, but 24 mm tabletop is ordered separately. The table is equipped with a stable intermediate brace.



## Table stand Table 400, 1420x760 mm

Item number 302222

### Product information

Type of table stand	Electric
Table stand dimension (mm)	1420 x 760
Lifting speed (mm/sec)	13
Working height excl. table top (mm)	685 - 1085
Max load (kg)	400
Table stand color	Aluminum
Table stand material	Aluminum
Table stand dimension (mm)	100x282

## Description

Table stand for the electrically adjustable Work Table 400, for 24mm table tops with size 1500 x 800 mm. The maximum capacity refers to distributed load. The lifting speed applies without load and the working height is without table top. Control box and standard handcontrol TH14 is included, but 24 mm tabletop is ordered separately. The table is equipped with a stable intermediate brace.



## Table stand Table 400, 1920x760 mm

Item number 302223

### Product information

Type of table stand	Electric
Table stand dimension (mm)	1920 x 760
Lifting speed (mm/sec)	13
Working height excl. table top (mm)	685 - 1085
Max load (kg)	400
Table stand color	Aluminum
Table stand material	Aluminum
Table stand dimension (mm)	100x282

## Description

Table stand for the electrically adjustable Work Table 400, for 24mm table tops with size 2000 x 800 mm. The maximum capacity refers to distributed load. The lifting speed applies without load and the working height is without table top. Control box and standard handcontrol TH14 is included, but 24 mm tabletop is ordered separately. The table is equipped with a stable intermediate brace.